



5680 Tower Road #120
 Denver, CO 80249
 Phone: (720) 734-8816
www.prairiepeds.com

Acetaminophen (Tylenol, FEVERALL, Generic) Dosing Instructions

- Frequency – can be given every 4 to 6 hours
- Do NOT give before 1st set of vaccinations (usually at 2 month visit)

	Child's Weight in Pounds								
	6 - 11	12 - 17	18 - 23	24 - 35	36 - 47	48 - 59	60 - 71	72 - 95	over 95
Infant or Children's Liquid Suspension – 160mg / 5 mL	1/4 tsp = 1.25 ml	1/2 tsp = 2.5 ml	3/4 tsp = 3.75 ml	1 tsp = 5 ml	1.5 tsp = 7.5ml	2 tsp = 10 ml	2.5 tsp = 12.5 ml	3 tsp = 15 ml	4 tsp = 20 ml
Children's Chewable Tablets – 160mg each				1 tablet	1.5 tablets	2 tablets	2.5 tablets	3 tablets	4 tablets
Adult Tablets or Liquid Gels – 325mg each						1 tablet	1 tablet	1.5 tablets	2 tablets
Adult Tablets or Liquid Gels – 500mg each								1 tablet	1 tablet
Fever-all Suppository – available in 80, 120 & 325mg	½ of 80mg	80mg	120mg	1.5 of 120mg	¾ of 325mg	325mg	325mg	325mg	2 of 325mg
Total Amount Dosed (mg)	40	80	120	160	240	320	400	480	650