



5680 Tower Road #120
 Denver, CO 80249
 Phone: (720) 734-8816
www.prairiepeds.com

Ibuprofen (Advil, Motrin, Generic) Dosing Instructions

- Frequency – can be given every 6 to 8 hours
- Do NOT give before 1st set of vaccinations (usually at 2 month visit) or if under 12 pounds

	Child's Weight in Pounds								
	Under 12	12 - 17	18 - 23	24 - 35	36 - 47	48 - 59	60 - 71	72 - 95	over 95
Infant Drops – 50 mg / 1.25ml		1.25 ml	1.875 ml	2.5 ml	3.75 ml	5 ml			
Children's Liquid Suspension – 100mg / 5 mL		1/2 tsp = 2.5 ml	3/4 tsp = 3.75 ml	1 tsp = 5 ml	1.5 tsp = 7.5ml	2 tsp = 10 ml	2.5 tsp = 12.5 ml	3 tsp = 15 ml	4 tsp = 20 ml
Children's Chewable Tablets – 100mg each				1 tablet	1.5 tablets	2 tablets	2.5 tablets	3 tablets	4 tablets
Adult Tablets or Liquid Gels – 200mg each						1 tablet	1 tablet	1.5 tablets	2 tablets
Total Amount Dosed (mg)		50	75	100	150	200	250	300	400